

MATERIALS:

HIAWATHA Super Corde Art. 38, 2 tubes
for Bag, 1 tube for Hat

HIAWATHA Metallic Corde Art.64, 2

tubes for Bag, 1 tube for Hat HIAWATHA Square Wooden Beads, 5 strings
dark and 5 strings light for Bag, 2 strings dark and 2

strings light for Hat HIAWATHA Rectangular Box Bag Lining
No. 6671

HIAWATHA Hat Frame No. 6727

Steel crochet hook No. 1

GAUGE-6 sc = 1..

BAG

BOTTOM-With corde ch 22 to measure 3 1/2". RND 1-3 sc in 2nd ch from hook, sc in next 19 ch, 5 sc in end ch, continuing around work sc in each st along other side of starting chain, ending with 2 sc in same place as 1st 3 sc (48 sts). RND 2-Sc in next st, 3 sc in next St-CORNER-SC in each st to 5 sts at other end, (sc in next st, 3sc in next st) twice; sc in each st to last 2 sts, 3 sc in last st (4 corners). Insert marker in 1st corner. RND 3-* Sc to next corner, 3 sc in center st of corner. Repeat from * around. Work 3 sc in center st of each corner every rnd until there are 136 sts and piece measures 3 3/4" x 6 3/4", ending 1st before 1st corner. Sl st in corner.

SIDES-Through back loops only, sc in each st. Sl st in next st. Turn. Drop Corde. Slip 2 strings of dark beads on 1 tube of metallic thread, slip 2 strings of light beads on other tube.

WORK PATTERN:

RND 1-Join metallic with dark beads. From wrong side, sc in next 3 sts, slide dark bead close to last st made, sc in next St-BEADED SC MADE-* plain sc in next 3 sts, beaded sc in next st. Repeat from * around (34 beads). Sl st in next st. Turn. Drop metallic.

RND 2-With corde, from right side, sc in each st. Sl st in next st. Turn. Drop corde.

RND 3 - Join metallic with light beads. From wrong side, sc in next st, * beaded sc in next st, plain sc in next 3 sts. Repeat from * around (34 beads). Sl st in next st. Turn. Drop metallic.

RND 4-With corde, from right side, sc in each st. Sl st in next st. Turn. Drop

corde. Repeat 4 rnds of pattern to 6 1/2" depth, ending with a dark bead rnd. Work 2 rnds with corde from right side. End off.

FACING-Insert lining in bag then mark off center 38 sts on each long side for facing, and join corde. Row 1-Sc in same place, sc in next 37 sts. Ch 1, turn.

Rows

2 AND 3-Sc in each st. Ch 1, turn. Row 4-Work 2 sc in 1st st, sc in each st to last st, 2 sc in last st (1 st Inc at each end). Ch 1, turn. Repeat inc every 4th row until there are 46 sts. Work even until facing is 2-1/2" deep. End off.

HANDLE-With corde ch 80. Row 1-Sc in 2nd ch from hook, sc in each st. End off corde. Row 2 - Attach metallic with dark beads. From wrong side work * plain sc in next 3 sts, beaded sc in next st. Repeat from* across(19 beads). End off metallic.

Row 3-Attach corde. From right side, sc in each st. End off corde. Row 4- Attach metallic with light beads. Sc in 1st st, ' beaded sc in next st, plain sc in next 3 sts. Repeat from *across (20 beads). Repeat these 4 rows until there are 5 rows of beads, ending with a corde row. End off. TAB-With corde ch 23. Row 1-Sc in 2nd ch from hook and in each ch across. Ch 1, turn. Work sc for 2 more rows. End off.

FINISHING-Insert lining in bag and tack bottom corners in place. Turn in facing and sew to top edge of lining. Make a small tuck at each corner. Sew tab and handle in place.

HAT

With corde ch 42, to measure 5-1/2".

RND 1-5 sc in 2nd ch from hook, sc in each ch to end, 5 sc in end ch, continuing around, work sc in each st along other side of starting chain (88 sts). Sl st in 1st st. Turn. Drop corde. Wind half of metallic off into ball. Slip 2 strings of dark beads on half the metallic, slip 2 strings of light beads on other half. RND 2-Join metallic with dark beads. From wrong side, sc in next 3 sts, slide dark bead close to last st made, sc in next St - BEADED SC MADE * plain sc in next 3 sts, beaded sc in next st. Repeat from * around (22 beads).

Sl st in next st. Turn. Drop metallic. Mark beg of rnds. RND 3-With corde, from right side, work * (2 sc in next st) twice; sc in next st (2 sc in next st) twice; sc to 5 end sts at other end. Repeat from * once more (8 incs). Sl st in

next st. Turn. Drop corde.

RND 4-Join metallic with light beads. From wrong side, work plain sc in next st, * beaded sc in next st, plain sc in next 3 sts. Repeat from * around. Sl st in next st. Drop metallic. Turn.

RND 5-With corde, from right side, sc in each st, increasing 4 sc at each end of oval. Sl st in next st. Turn. Drop corde.

RND 6-Join metallic with dark beads. From wrong side work *: plain sc in next 3 sts, beaded sc in next st. Repeat from * around. Repeat rnds 3, 4, 5 and 6 (at front and back of hat light beads are always directly over light beads, and dark beads are directly over dark beads), until there are 144 sts. Work even to fit hat frame, ending with a light bead rnd. Work 1 more rnd with corde.

FACING-NEXT RND-Through back loops only, sc in next 4 sts, draw up a loop in each of next 2sts, over and through 3 loops on hook-DEC MADE-continue sc, dec 5 more sc evenly around. Work 2rnds through both loops, dec 6 sc evenly on each rnd. End off. Wrong side facing, attach metallic with dark beads and work beaded rnd at edge of crown.

FINISHING-Fit over hat frame and sew.

ABBREVIATIONS

ch ... chain

sc_ ... single crochet

dcdouble crochet

trtreble crochet

ststitch

sl st slip stitch

rnd ... round

incincrease

dec.. . . decrease

beg ... beginning

inclinclusive

Owork directions within parentheses the number of times specified

Pattern-making.com

Free Tips,

Guides

Tutorials

on

Pattern

Making

and

Design



Plus

Crochet

Patterns

Knitting

Cross

Stitch

Jewel

making

Print

Patterns

Download

E-book

MATERIALS:

HIAWATHA Super Corde Art. 38, 2 tubes
for Bag, 1 tube for Hat

HIAWATHA Metallic Corde Art.64, 2

tubes for Bag, 1 tube for Hat HIAWATHA Square Wooden Beads, 5 strings
dark and 5 strings light for Bag, 2 strings dark and 2

strings light for Hat HIAWATHA Rectangular Box Bag Lining
No. 6671

HIAWATHA Hat Frame No. 6727

Steel crochet hook No. 1

GAUGE-6 sc = 1..

BAG

BOTTOM-With corde ch 22 to measure 3 1/2". RND 1-3 sc in 2nd ch from hook, sc in next 19 ch, 5 sc in end ch, continuing around work sc in each st along other side of starting chain, ending with 2 sc in same place as 1st 3 sc (48 sts). RND 2-Sc in next st, 3 sc in next St-CORNER-SC in each st to 5 sts at other end, (sc in next st, 3sc in next st) twice; sc in each st to last 2 sts, 3 sc in last st (4 corners). Insert marker in 1st corner. RND 3-* Sc to next corner, 3 sc in center st of corner. Repeat from * around. Work 3 sc in center st of each corner every rnd until there are 136 sts and piece measures 3 3/4" x 6 3/4", ending 1st before 1st corner. Sl st in corner.

SIDES-Through back loops only, sc in each st. Sl st in next st. Turn. Drop Corde. Slip 2 strings of dark beads on 1 tube of metallic thread, slip 2 strings of light beads on other tube.

WORK PATTERN:

RND 1-Join metallic with dark beads. From wrong side, sc in next 3 sts, slide dark bead close to last st made, sc in next St-BEADED SC MADE-* plain sc in next 3 sts, beaded sc in next st. Repeat from * around (34 beads). Sl st in next st. Turn. Drop metallic.

RND 2-With corde, from right side, sc in each st. Sl st in next st. Turn. Drop corde.

RND 3 - Join metallic with light beads. From wrong side, sc in next st, * beaded sc in next st, plain sc in next 3 sts. Repeat from * around (34 beads). Sl st in next st. Turn. Drop metallic.

RND 4-With corde, from right side, sc in each st. Sl st in next st. Turn. Drop

corde. Repeat 4 rnds of pattern to 6 1/2" depth, ending with a dark bead rnd. Work 2 rnds with corde from right side. End off.

FACING-Insert lining in bag then mark off center 38 sts on each long side for facing, and join corde. Row 1-Sc in same place, sc in next 37 sts. Ch 1, turn.

Rows

2 AND 3-Sc in each st. Ch 1, turn. Row 4-Work 2 sc in 1st st, sc in each st to last st, 2 sc in last st (1 st Inc at each end). Ch 1, turn. Repeat inc every 4th row until there are 46 sts. Work even until facing is 2-1/2" deep. End off.

HANDLE-With corde ch 80. Row 1-Sc in 2nd ch from hook, sc in each st. End off corde. Row 2 - Attach metallic with dark beads. From wrong side work * plain sc in next 3 sts, beaded sc in next st. Repeat from* across(19 beads). End off metallic.

Row 3-Attach corde. From right side, sc in each st. End off corde. Row 4- Attach metallic with light beads. Sc in 1st st, ' beaded sc in next st, plain sc in next 3 sts. Repeat from *across (20 beads). Repeat these 4 rows until there are 5 rows of beads, ending with a corde row. End off. TAB-With corde ch 23. Row 1-Sc in 2nd ch from hook and in each ch across. Ch 1, turn. Work sc for 2 more rows. End off.

FINISHING-Insert lining in bag and tack bottom corners in place. Turn in facing and sew to top edge of lining. Make a small tuck at each corner. Sew tab and handle in place.

HAT

With corde ch 42, to measure 5-1/2".

RND 1-5 sc in 2nd ch from hook, sc in each ch to end, 5 sc in end ch, continuing around, work sc in each st along other side of starting chain (88 sts). Sl st in 1st st. Turn. Drop corde. Wind half of metallic off into ball. Slip 2 strings of dark beads on half the metallic, slip 2 strings of light beads on other half. RND 2-Join metallic with dark beads. From wrong side, sc in next 3 sts, slide dark bead close to last st made, sc in next St - BEADED SC MADE * plain sc in next 3 sts, beaded sc in next st. Repeat from * around (22 beads).

Sl st in next st. Turn. Drop metallic. Mark beg of rnds. RND 3-With corde, from right side, work * (2 sc in next st) twice; sc in next st (2 sc in next st) twice; sc to 5 end sts at other end. Repeat from * once more (8 incs). Sl st in

next st. Turn. Drop corde.

RND 4-Join metallic with light beads. From wrong side, work plain sc in next st, * beaded sc in next st, plain sc in next 3 sts. Repeat from * around. Sl st in next st. Drop metallic. Turn.

RND 5-With corde, from right side, sc in each st, increasing 4 sc at each end of oval. Sl st in next st. Turn. Drop corde.

RND 6-Join metallic with dark beads. From wrong side work *: plain sc in next 3 sts, beaded sc in next st. Repeat from * around. Repeat rnds 3, 4, 5 and 6 (at front and back of hat light beads are always directly over light beads, and dark beads are directly over dark beads), until there are 144 sts. Work even to fit hat frame, ending with a light bead rnd. Work 1 more rnd with corde.

FACING-NEXT RND-Through back loops only, sc in next 4 sts, draw up a loop in each of next 2sts, over and through 3 loops on hook-DEC MADE-continue sc, dec 5 more sc evenly around. Work 2rnds through both loops, dec 6 sc evenly on each rnd. End off. Wrong side facing, attach metallic with dark beads and work beaded rnd at edge of crown.

FINISHING-Fit over hat frame and sew.

ABBREVIATIONS

ch ... chain

sc_ ... single crochet

dcdouble crochet

trtreble crochet

ststitch

sl st slip stitch

rnd ... round

incincrease

dec.. . . decrease

beg ... beginning

inclinclusive

Owork directions within parentheses the number of times specified

Pattern-making.com

Free Tips,

Guides

Tutorials

on

Pattern

Making

and

Design



Plus

Crochet

Patterns

Knitting

Cross

Stitch

Jewel

making

Print

Patterns

Download

E-book

<http://www.pattern-making.com>